

型番	鋼 P	ステンレス鋼 M	鋳鉄 K	非鉄金属 N	耐熱合金 S	高硬度鋼 H
HSD				○		

◎=最適 ○=適 △=可

●黄銅・真鍮材料の深穴明け加工に最適です。

●先端のかたよりで切入るため、穴径は若干太目の場合もあるが切粉の排出が良いので精度は比較的正確である。



円錐研削

直 径 許 容 差 (0.01~0.05とび) h8 公差 0~0.005 単位:mm				包 裝 単 位 全 サ イ ズ 10本入り			
在 庫 直 径 (φD)				在 庫 直 径 (φD)			
◎ 0.3	3.5	20	○ 0.68	10	32	○ 1.06	20
○ 0.31	5.5	24	○ 0.69	10	32	○ 1.07	20
○ 0.32	5.5	24	○ 0.7	10	32	○ 1.08	20
○ 0.33	5.5	24	○ 0.71	11	34	○ 1.09	20
○ 0.34	5.5	24	○ 0.72	11	34	○ 1.1	20
○ 0.35	5.5	24	○ 0.73	11	34	○ 1.11	20
○ 0.36	5.5	24	○ 0.74	11	34	○ 1.12	20
○ 0.37	5.5	24	○ 0.75	11	34	○ 1.13	20
○ 0.38	5.5	24	○ 0.76	11	34	○ 1.14	20
○ 0.39	5.5	24	○ 0.77	11	34	○ 1.15	20
○ 0.4	5.5	24	○ 0.78	11	34	○ 1.16	20
○ 0.41	7.5	27	○ 0.79	11	34	○ 1.17	20
○ 0.42	7.5	27	○ 0.8	11	34	○ 1.18	20
○ 0.43	7.5	27	○ 0.81	13	36	○ 1.19	20
○ 0.44	7.5	27	○ 0.82	13	36	○ 1.2	20
○ 0.45	7.5	27	○ 0.83	13	36	○ 1.21	22
○ 0.46	7.5	27	○ 0.84	13	36	○ 1.22	22
○ 0.47	7.5	27	○ 0.85	13	36	○ 1.23	22
○ 0.48	7.5	27	○ 0.86	13	36	○ 1.24	22
○ 0.49	7.5	27	○ 0.87	13	36	○ 1.25	22
○ 0.5	7.5	27	○ 0.88	13	36	○ 1.26	22
○ 0.51	8.5	30	○ 0.89	13	36	○ 1.27	22
○ 0.52	8.5	30	○ 0.9	13	36	○ 1.28	22
○ 0.53	8.5	30	○ 0.91	18	40	○ 1.29	22
○ 0.54	8.5	30	○ 0.92	18	40	○ 1.3	22
○ 0.55	8.5	30	○ 0.93	18	40	○ 1.31	23
○ 0.56	8.5	30	○ 0.94	18	40	○ 1.32	23
○ 0.57	8.5	30	○ 0.95	18	40	○ 1.33	23
○ 0.58	8.5	30	○ 0.96	18	40	○ 1.34	23
○ 0.59	8.5	30	○ 0.97	18	40	○ 1.35	23
○ 0.6	8.5	30	○ 0.98	18	40	○ 1.36	23
○ 0.61	10	32	○ 0.99	18	40	○ 1.37	23
○ 0.62	10	32	○ 1	18	40	○ 1.38	23
○ 0.63	10	32	○ 1.01	20	42	○ 1.39	23
○ 0.64	10	32	○ 1.02	20	42	○ 1.4	23
○ 0.65	10	32	○ 1.03	20	42	○ 1.41	23
○ 0.66	10	32	○ 1.04	20	42	○ 1.42	23
○ 0.67	10	32	○ 1.05	20	42	○ 1.43	23

◎：標準在庫 \*：特定代理店在庫 △：在庫限り

単位 : mm			
在庫	直径 (φD)	溝長 (ℓ)	全長 (L)
○	1.44	23	48
○	1.45	23	48
○	1.46	23	48
○	1.47	23	48
○	1.48	23	48
○	1.49	23	48
○	1.5	23	48
○	1.51	25	50
○	1.52	25	50
○	1.53	25	50
○	1.54	25	50
○	1.55	25	50
○	1.56	25	50
○	1.57	25	50
○	1.58	25	50
○	1.59	25	50
○	1.6	25	50
○	1.61	25	50
○	1.62	25	50
○	1.63	25	50
○	1.64	25	50
○	1.65	25	50
○	1.66	25	50
○	1.67	25	50
○	1.68	25	50
○	1.69	25	50
○	1.7	25	50
○	1.71	28	52
○	1.72	28	52
○	1.73	28	52
○	1.74	28	52
○	1.75	28	52
○	1.76	28	52
○	1.77	28	52
○	1.78	28	52
○	1.79	28	52
○	1.8	28	52
○	1.81	28	52
○	1.82	28	52
○	1.83	28	52
○	1.84	28	52
○	1.85	28	52
○	1.86	28	52
○	1.87	28	52
○	1.88	28	52
○	1.89	28	52
○	1.9	28	52
○	1.91	29	55
○	1.92	29	55
○	1.93	29	55
○	1.94	29	55
○	1.95	29	55
○	1.96	29	55
○	1.97	29	55
○	1.98	29	55
○	1.99	29	55
○	2	29	55
○	2.01	29	55
○	2.02	29	55
○	2.03	29	55
○	2.04	29	55
在庫	直径 (φD)	溝長 (ℓ)	全長 (L)
○	2.05	29	55
○	2.06	29	55
○	2.07	29	55
○	2.08	29	55
○	2.09	29	55
○	2.1	29	55
○	2.11	33	58
○	2.12	33	58
○	2.13	33	58
○	2.14	33	58
○	2.15	33	58
○	2.16	33	58
○	2.17	33	58
○	2.18	33	58
○	2.19	33	58
○	2.2	33	58
○	2.21	33	58
○	2.22	33	58
○	2.23	33	58
○	2.24	33	58
○	2.25	33	58
○	2.26	33	58
○	2.27	33	58
○	2.28	33	58
○	2.29	33	58
○	2.3	33	58
○	2.31	35	61
○	2.32	35	61
○	2.33	35	61
○	2.34	35	61
○	2.35	35	61
○	2.36	35	61
○	2.37	35	61
○	2.38	35	61
○	2.39	35	61
○	2.4	35	61
○	2.41	35	61
○	2.42	35	61
○	2.43	35	61
○	2.44	35	61
○	2.45	35	61
○	2.46	35	61
○	2.47	35	61
○	2.48	35	61
○	2.49	35	61
○	2.5	35	61
○	2.51	37	64
○	2.52	37	64
○	2.53	37	64
○	2.54	37	64
○	2.55	37	64
○	2.56	37	64
○	2.57	37	64
○	2.58	37	64
○	2.59	37	64
○	2.6	37	64
○	2.61	37	64
○	2.62	37	64
○	2.63	37	64
○	2.64	37	64
○	2.65	37	64
在庫	直径 (φD)	溝長 (ℓ)	全長 (L)
○	2.66	37	64
○	2.67	37	64
○	2.68	37	64
○	2.69	37	64
○	2.7	37	64
○	2.71	39	67
○	2.72	39	67
○	2.73	39	67
○	2.74	39	67
○	2.75	39	67
○	2.76	39	67
○	2.77	39	67
○	2.78	39	67
○	2.79	39	67
○	2.8	39	67
○	2.81	42	71
○	2.82	42	71
○	2.83	42	71
○	2.84	42	71
○	2.85	42	71
○	2.86	42	71
○	2.87	42	71
○	2.88	42	71
○	2.89	42	71
○	2.9	42	71
○	2.91	42	71
○	2.92	42	71
○	2.93	42	71
○	2.94	42	71
○	2.95	42	71
○	2.96	42	71
○	2.97	42	71
○	2.98	42	71
○	2.99	42	71
○	3	42	71
○	3.01	42	71
○	3.02	42	71
○	3.03	42	71
○	3.04	42	71
○	3.05	42	71
○	3.06	42	71
○	3.07	42	71
○	3.08	42	71
○	3.09	42	71
○	3.1	42	71
○	3.11	42	71
○	3.12	42	71
○	3.13	42	71
○	3.14	42	71
○	3.15	42	71
○	3.16	42	71
○	3.17	42	71
○	3.18	42	71
○	3.19	42	71
○	3.2	42	71
○	3.21	45	73
○	3.22	45	73
○	3.23	45	73
○	3.24	45	73
○	3.25	45	73
○	3.26	45	73

○ ○ : 標準在庫 \* : 特定代理店在庫 △ : 在庫限り

単位 : mm

在庫	直径 (φD)	溝長 (ℓ)	全長 (L)
○	3.27	45	73
○	3.28	45	73
○	3.29	45	73
○	3.3	45	73
○	3.31	45	73
○	3.32	45	73
○	3.33	45	73
○	3.34	45	73
○	3.35	45	73
○	3.36	45	73
○	3.37	45	73
○	3.38	45	73
○	3.39	45	73
○	3.4	45	73
○	3.41	45	73
○	3.42	45	73
○	3.43	45	73
○	3.44	45	73
○	3.45	45	73
○	3.46	45	73
○	3.47	45	73
○	3.48	45	73
○	3.49	45	73
○	3.5	45	73
○	3.51	48	76
○	3.52	48	76
○	3.53	48	76
○	3.54	48	76
○	3.55	48	76
○	3.56	48	76
○	3.57	48	76
○	3.58	48	76
○	3.59	48	76
○	3.6	48	76
○	3.61	48	76
○	3.62	48	76
○	3.63	48	76
○	3.64	48	76
○	3.65	48	76
○	3.66	48	76
○	3.67	48	76
○	3.68	48	76
○	3.69	48	76
○	3.7	48	76
○	3.71	48	76
○	3.72	48	76
○	3.73	48	76
○	3.74	48	76
○	3.75	48	76
○	3.76	48	76
○	3.77	48	76
○	3.78	48	76
○	3.79	48	76
○	3.8	48	76
○	3.81	51	79
○	3.82	51	79
○	3.83	51	79
○	3.84	51	79
○	3.85	51	79
○	3.86	51	79
○	3.87	51	79

単位 : mm

在庫	直径 (φD)	溝長 (ℓ)	全長 (L)
○	3.88	51	79
○	3.89	51	79
○	3.9	51	79
○	3.91	54	83
○	3.92	54	83
○	3.93	54	83
○	3.94	54	83
○	3.95	54	83
○	3.96	54	83
○	3.97	54	83
○	3.98	54	83
○	3.99	54	83
○	4	54	83
○	4.05	54	83
○	4.1	54	83
○	4.15	54	83
○	4.2	54	83
○	4.25	54	83
○	4.3	54	83
○	4.35	56	86
○	4.4	56	86
○	4.45	56	86
○	4.5	56	86
○	4.55	56	86
○	4.6	56	86
○	4.65	59	89
○	4.7	59	89
○	4.75	59	89
○	4.8	59	89
○	4.85	62	92
○	4.9	62	92
○	4.95	62	92
○	5	62	92
○	5.05	62	92
○	5.1	62	92
○	5.15	64	95
○	5.2	64	95
○	5.25	64	95
○	5.3	64	95
○	5.35	64	95
○	5.4	64	95
○	5.45	64	95
○	5.5	64	95
○	5.55	67	98
○	5.6	67	98
○	5.65	67	98
○	5.7	67	98
○	5.75	67	98
○	5.8	67	98
○	5.85	67	98
○	5.9	67	98
○	5.95	70	102
○	6	70	102